

Section 1 Product Identification

1.1	Product Name: method daily kitchen spray
1.2	Chemical Name
1.3	Article number and barcode: 30226812 and 817939012413
1.4	
1.5	Product use: Cuts grease + grime to leave your kitchen really clean
1.6	Supplier's Name: ECOVER CO-ORDINATION CENTER
1.7	Supplier's Address: Steenovenstraat 1A, 2390 Malle Belgium
1.8	Emergency Phone: 03451302230
1.9	Other; internal code 3000572

Section 2 Hazard Identification

2.1	Hazard Identifica	tion: not dangerous	(According to Regulation	(EC) n° 1272/2008 (CLP))
2.2	Routes of entry	Inhalation	Absorption	Ingestion
2.3	Effects of exposu	re		
	Ingestion:			
	Eyes:			
	Skin:			
	Inhalation:			
2.4	Symptoms of Ove	er exposure		
	Ingestion:			
	Eyes:			
	Skin:			
	Inhalation:			
2.5	Acute Hearth Effe	ects		
	Ingestion:			
	Eyes:			
	Skin:			
	Inhalation:			
2.6	Chronic Health Ef	fects		
2.7	Target organs;			
2.8	Toxicological Pro			
NA= Not	Available ND= Not Deter	mined NE= Not Establish	ned NF = Not Found C= Celling Li	mit



Section 3 Composition & Ingredient Information

Chemical	CAS	RTECs	EINECS	%	Expo	sure L	imits i	n Air (mg/m2	2)			
Name(s)	No.	No.	No.		ACG	IH	NOH	SC		OSH	Α		Other
					ppm		ppm			ppm	1		
					TLV	STEL	ES- TWA	ES- STEL	ES- PEAK	TLV	STEL	IDLH	Classificatio n EC 1272/2008
D-Glucopyranose, oligomers, decyl octyl glycosides	68515- 73-1		500-220- 1	1-5									Eye Dam 1 (H318)
Alcohols, C12-14, ethoxylated	68439- 50-9		932-106- 6	0.1- 1									Eye Dam 1 (H318) Aquatic Acute 1 (H400) Acute Tox. 4 (oral) (H302)
(R)-p-mentha-1,8- dien e	5989- 27-5		227-813- 5	0.1-1									Skin Irrit. 2 (H315) Skin Sens. 1 (H317) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) Flam. Liq. 3 (H226)
Potassium Hydroxide	1310- 58-3		215-181- 3	<0.0 1									Met. Corr. 1 (H290) Acute Tox. 4, oral (H302) Skin. Corr. 1A (H314)

Section 4 First Aid Measures

4.1	Frist Aid:
	Ingestion: Do NOT induce vomiting. Clean mouth with water and drink plenty of water.
	Get medical attention
	Eyes: In the case of contact with eyes, rinse immediately with plenty of water and seek
	medical advice
	Skin: Wash off immediately with plenty of water.
	Inhalation: Remove to fresh air.
4.2	Medical Conditions aggravated by expose:

5. Firefighting Measures

5.1	Flashpoint & method:	:>100°C			
5.2	Auto-ignition Temperature:				
5.3	Flammability limits	Lower explosive limit (LEL)		Upper explosive limit (UEL)	
5.4	Extinguishing methods: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment				

5.5	Firefighting Procedures: in the event of fire, wear self-contained breathing apparatus.		
	Wear suitable protective clothing and gloves		
Additional information: Fight fire with normal precautions from a reasonable distance			



Section 6. Accidental release measures

6.1	Spills: Recover usable material in a clean closable container for reuse. Sweep up contaminated material and dispose of as chemical waste. Remove the remainder with water.
6.2	Any other forms of release: Avoid release to the environment.

Section 7. Handling & storage information

7.1	Work & Hygiene practices:
7.2	Storage & handling:
	Keep out of the reach of children.
	Keep container tightly closed in a dry and well-ventilated place.
	Do not store <0°C and >40°C.
7.3	Special precautions:
	Ensure adequate ventilation, especially in confined areas
	Avoid contact with eyes.
	Use personal protection recommended in Section 8
7.4	Additional information:

Section 8. Exposure controls & personal protection

8.1	Ventilation & engineering controls: None under normal use conditions.			
8.2	Respiratory protection			
8.3	Eye protection: Wear safety goggles when clearing a	ccidentally released material.		
8.4	Hand protection: For operations where prolonged or repeated skin contact may occur, impervious gloves should be worn.			
8.5	Body protection HEALTH			
	FLAMMABILITY PHYSCIAL HAZARDS			
	SPECIAL EQUIPMENT			



Section 9. Physical & chemical properties

9.1	Density	1.006 kg/l
9.2	Boiling point	
9.3	Melting point	
9.4	Evaporation rate	
9.5	Vapour pressure	
9.6	Molecular weight	
9.7	Appearance & colour	Liquid; orange
9.8	Odour	Citrus fruits
9.9	Solubility	
9.10	рН	11
9.11	Viscosity	
9.12	Other information	VOC (%): 0.3

Section 10. Stability & reactivity

10.1	Stability: Stable under normal conditions.
10.2	Hazardous Decomposition products: None under normal use conditions.
10.3	Hazardous polymerization
10.4	Conditions to avoid: See section 7 for more information
10.5	Incompatible substances: Do not mix with other cleaning products.

Section 11. toxicological information

11.1	Toxicity data:		
	Mixture:		
11.2	Acute toxicity: Product does not present an acute toxicity hazard based on known or		
	supplied information		
11.3	Chronic toxicity		
11.4	Suspected toxicity		
11.5	Reproductive toxicity: No known effect.		
	Mutagenicity	No known effect.	
	Embryo toxicity	No known effect.	
	Teratogenicity	No known effect.	
	Reproductive toxicity	No known effect.	
11.6	Irritancy of product: No known effect.		
11.7	Biological exposure indices		
11.8	Physician recommendations		
11.9	Additional information		



Section 12. Ecological information

12.1	Environmental stability
	This product doesn't contain any persistent substances in a concentration of > 0.01 %.
	The surface active components used in this product fulfill all of the biodegradability
	requirements of EC regulation 648/2004 (Detergents Regulation)
	The surface active components used in this product are anaerobically biodegradable.
12.2	Effect on plants & animals
12.3	Effect on aquatic life

Section 13. Disposal consideration

13.1	Waste Disposal: Disposal should be in accordance with applicable regional, national and
	local laws and regulations
13.2	Special Considerations

Section 14. Transportation information

The basic description (ID number, proper shipping name, hazard class & division, packing group) is shown for each mode of			
transport. A	transport. Additional descriptive information may be required by 49 CFR. IATA/ICAO, IMDG, TDGR, SCT and ADGR		
14.1	49 CFR (GND)		
14.2	IATA (AIR)		
14.3	IMDG (OCN)		
14.4	TDGR (Canadian GND)		
14.5	ADR/RID (EU)		
14.6	Mexico (SCT)		
14.7	ADGR (AUS)		

Section 15. regulatory information

15.1	U.S EPA SARA reporting requirements
15.2	U.S EPA SARA Threshold planning quantity
15.3	U.S EPA TSCA Inventory Status
15.4	U.S EPA CERCLA reportable quantity (RQ)
15.5	Other U.S Federal Requirements
15.6	Other regulations
15.7	U.S State regulatory Information
15.8	67/548/EEC (European Union) and Australia NOHSC:2011 (2003) requirements



Section 16. Other information

16.1	Other information:			
	H290 - May be corrosive to metals			
	H302 - Harmful if swallowed			
	H314 - Causes severe skin burns and eye damage			
	H315 - Causes skin irritation			
	H317 - May cause an allergic skin reaction			
	H400 - Very toxic to aquatic life			
	H410 - Very toxic to aquatic life with long lasting effects			
	H226 - Flammable liquid and vapor			
	H318 - Causes serious eye damage			
	H304 - May be fatal if swallowed and enters airways			
16.2	Terms & definitions: Please refer to last page.			
16.3	Disclaimers: The information provided in this Safety Data Sheet is correct to the best of			
	our knowledge, information and belief at the date of its publication. The information			
	given is designed only as a guidance for safe handling, use, processing, storage,			
	transportation, disposal and release and is not to be considered a warranty or quality			
	specification. The information relates only to the specific material designated and may			
	not be valid for such material used in combination with any other materials or in any			
	process, unless specified in the text.			
16.4	Prepared for:			
16.5	Company full address:			
	ECOVER CO-ORDINATION CENTER			
	Steenovenstraat 1A			
	2390 Malle Belgium			

Page **7** of **11**




MATERIAL SAFETY DATA SHEET

Definitions of terms

A large number of abbreviation and acronyms appear on a MSDS. Some of these that are commonly used include the following:

-						
Gene	General information					
CAS N	0.	Chemical abstract service number				
Ехро	xposure limits in the air					
ACGIH	1	American conference on governmental industrial hygienists				
TLV		Threshold limit value				
OSHA		U.S occupational safety and health	h adm	inistration		
PEL		Permissible exposure limit				
IDLH		Immediately dangerous to life and	d healt	h		
Frist	Aid measu	res				
CPR	stopped receives manual chest compressions and breathing to circulate blood					
		and provide oxygen to the body. Erials identification systems y & reactivity ratings	:: HM	IISH		
0	Minimal Ha	Hazard Hazard rating			Hazard rating	
1	Slight Hazaı	ard HEALTH				
2	Moderate H	Hazard	FLA	MMABILITY		
3	Severe Haza	Hazard PHYSICAL HAZARDS				
4	Extreme Hazard Personal Protect			onal Protection		
Perso	Personal Protection Ratings:					
A	Ś		G	\$ \$ 3	10	





Definitions of terms

A large number of abbreviation and acronyms appear on a MSDS. Some of these that are commonly used include the following:

Personal Protection ratings:

S	-		Ę	⟩ -	X	L	Ĵ	*	*	STO
Saftey glasses	Gloves	Face shield &eye protection	Splash goggles	Synthetic Apron	Full suit	Boots	Airline Hood/ mask	Full face respirator	Vapor respirator	Dust & vapor respirator
\bigcirc				circle indic concentrat			•			

Flammability limits in air				
Auto ignition	Minimum temperature required to initiate combustion in air with no other source			
temperature	of ignition.			
LEL	Lower explosive limit- lowest percent of vapour in air, by volume that will explode			
	or ignite in the presence of an ignition source.			
UEL	Upper explosive limit- highest percent of vapour in air, by volume, that will			
	explode or ignite in the presence of an ignition source.			

Other Standard abbreviations:		
NA	Not available	
NR No results		

NE	Not established	
NF	Not found	
ND	Not determined	
ML	Maximum limit	
SCBA	Self- contained breathing apparatus	



Definitions of terms

A large number of abbreviation and acronyms appear on a MSDS. Some of these that are commonly used include the following:

Nation	National fire protection association: NFPA				
Hazard	ratings				
0	Minimal Hazard				
1	Slight Hazard				
2	Moderate Hazard				
3	Severe Hazard				
4	Extreme Hazard	REACTIVITY			
ACD	Acidic				
ALK	Alkaline				
COR	Corrosive				
W_	Use no water				
ох	Oxidizer				
		HEALTH PRECAUTIONS			

Toxicological information				
LD 50	Lethal dose (solids & liquids) which kills 50% of the exposed animals			
LC 50	Lethal concentration (gases) which kills 50% of the exposed animals			
ppm	Concentration expressed in parts of material per million parts			
TD 10	Lowest dose to cause a symptom			
TCL0	Lowest concentration to cause a symptom			
TD10,	Lowest dose (or Concentration) to cause lethal or toxic effects			
LD10 &				
LD ₀ or				
TC, TC0,				
LC10, &				
LC ₀				

IARC	International agency for research on cancer					
NTP	National toxicology program					
RTECS	Registry of toxic effect chemical substances					
BCF	Bio concentration factor					
TLm	Median threshold limit					
Log Kow	Coefficient of oil/water distribution					
or Log Koc						



Definitions of terms

A large number of abbreviation and acronyms appear on a MSDS. Some of these that are commonly used include the following:

Regulatory information				
CPR	Canada's controlled product regulations			
DOT	U.S. Department of transport			
EPA	U.S Environmental protection agency			
EU	European Union (European union directive 67/548/EEC)			
DSL	Canadian domestic substance list			
MAK	Mandat und die arbeitsweise der commission (work ares commission)			
NDSL	Canadian non- domestic substance list			
NOHSC	National occupational health & safety code (Australia)			
PSL	Canadian Priority substances list			
тс	Transport Canada			
TSCA	U.S toxic substance control act			
WHMIS	Canadian workplace hazardous material information system			

EC Information

		*	¥	<u> </u>		×	×
С	E	F	Ν	0	T+	Xi	Xn
Corrosive	Explosive	Flammable	Harmful	Oxidizing	Toxic	Irritant	Harmful

WHMIS Information

\oslash	۲	۲		Ţ	۲		R
Α	в	С	D1	D2	D3	E	F
Compressed	Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive